

(1) **PRODUCTION QUALITY ASSURANCE NOTIFICATION**

(2) **Equipment and protective systems intended for use in potentially explosive atmospheres – Directive 94/9/EC**

(3) Notification Number: **KEMA 05ATEXQ3048**, issue no. **3**

(4) This notification is issued for the equipment or protective systems or components which are described in the EC-Type Examination Certificates listed in the on-line QAR on www.iecex.com.

(5) Manufacturer:
Asco Controls B.V.
Industrielaan 21
3925 BD Scherpenzeel
The Netherlands

(6) Production sites:
Asco Controls B.V.
Industrielaan 21
3925 BD Scherpenzeel
The Netherlands

Asco Joumatic Sp.z.o.o.
Kurczaki 130
93 331 Łódź
Poland

(7) KEMA Quality B.V., notified body number 0344 in accordance with Article 9 of the Council Directive 94/9/EC of 23 March 1994, notifies to the manufacturer that the production site satisfies the requirements of Annex IV and VII to the directive.

(8) This notification is based on audit report no. NL/KEM/QAR 07.0018/02.

Surveillance of the production process is part of this notification. This notification can be withdrawn if the manufacturer no longer satisfies the requirements of Annex IV and VII.


(9) This notification is valid until 20 March 2011.

(10) According to Article 10 (1) of the Directive 94/9/EC the CE marking shall be accompanied by the identification number identifying the notified body involved in the production control stage. In accordance with Article 8 (3) no components shall be affixed with the CE marking.

(11) The marking of the equipment, component or protective system shall include the identification number of KEMA:

0344

Arnhem, 20 August 2008
KEMA Quality B.V.


T. Pijpker
Certification Manager

SCHEDULE


to Production Quality Assurance Notification KEMA 05ATEXQ3048
Issue 2

Manufacturer : Asco Controls B.V., Industrielaan 21,
3925 BD Scherpenzeel, The Netherlands

Production site : As manufacturer

Equipment / Components Group	Types of Protection	EC-Type Examination Certificates
Electromagnetic Solenoid Valve Operators	Flameproof enclosure "d", increased safety "e", intrinsic safety "i", encapsulation "m" and dust protection "D"	KEMA 98ATEX2542 Amendment 1 KEMA 98ATEX2544 Amendment 1 LCIE 00 ATEX 6008 X Amendment 1 Amendment 2 Amendment 3 LCIE 01 ATEX 6050 X Amendment 1 BAS98ATEX2167X Amendment 1 to 5 Amendment 1 from SIRA BAS98ATEX2168X Amendment 1 to 5 Amendment 1 from SIRA BAS02ATEX2157 Amendment 1 from SIRA FTZU 04ATEX0213X

Arnhem, 1 august 2007
KEMA Quality B.V.



E. ter Haar
Certification Manager

[2102012]